

Foundations for Programming Languages

Small examination 1

Problem 1 Illustrate the quilts represented by the following expressions (1), (2), and (3) in the language Little Quilt.

(1) `sew (a, a)`

(2) `let`
 `val x = turn (turn (b))`
 `in`
 `sew (sew (x,x), x)`
 `end`

(3) `let`
 `fun unturn (x) = turn (turn (turn (x)))`
 `fun pile (x,y) = unturn (sew (turn (y), turn (x)))`
 `val aa = sew (a, a)`
 `val bb = sew (b, b)`
 `val aaaa = pile (aa, aa)`
 `in`
 `sew (aaaa, turn (bb))`
 `end`

The meaning of `a`, `b`, `turn`, `sew` are as follows. The other constructs of Little Quilt (`let` expressions, `val` declaration, `fun` declaration) have the meaning explained in the lecture.

- Expressions `a` and `b` represent the quilts in Figure 1 and Figure 2 respectively.





Figure 1: The quilt that `a` represents Figure 2: The quilt that `b` represents

- The expression `turn (e)` represents the quilt obtained by rotating 90 degrees to the right the quilt represented by the expression `e`.
- The expression `sew (e1, e2)` represents the quilt that is obtained by sewing the two quilts `e1` and `e2`, where `e1` is in the left side and `e2` is in the right side, and they must have the same height.

Problem 2 Answer the following problems about the control flow in the imperative language presented in the lecture.

- (1) Illustrate the control flow of the following program fragment.

```

if x>0 then x := x - 1
else if y>0 then y := y - 1

```

(2) Illustrate the control flow of the following program fragment.

```

L: x := x - 1;
if x>0 then goto L;
y := 1

```

(3) Illustrate the control flow of the following program fragment.

```

while x>0 do
  begin
    if x=3 then
      begin
        x := x - 1;
        continue
      end;
    y := y + 1
  end
end

```

(4) Illustrate the control flow of the following program fragment.

```

while x>0 do
  begin
    while y>0 do
      begin
        if x=3 then
          break;
        y := y - 1
      end
    end
  end
end

```

(5) How many entries and exits does the if statement (if x=3 then break) in the program fragment (4) have?

Problem 3 Derive the Hoare triples (1), (2), and (3) by using the rules presented in the lecture.

(1) $\{a = 40\} a := a - 20 \{a = 20\}$

(2) $\{a = 3\} a := a + 1; a := a + 3 \{a = 7\}$

(3) $\{a = 4\} \text{ if } a = 4 \text{ then } a := a + 3 \text{ else } a := a - 3 \{a = 7\}$

(4) $\{a = 2\} \text{ while } a < 5 \text{ do } a := a + 1 \{a = 5\}$

Rules presented in the lecture

Hoare logic

$$\frac{\{P\} S_1 \{Q\} \quad \{Q\} S_2 \{R\}}{\{P\} S_1; S_2 \{R\}} \text{ (composition rule)}$$

$$\frac{\{P \wedge E\} S_1 \{Q\} \quad \{P \wedge \neg E\} S_2 \{Q\}}{\{P\} \text{ if } E \text{ then } S_1 \text{ else } S_2 \{Q\}} \text{ (conditional rule)}$$

$$\frac{\{P \wedge E\} S \{P\}}{\{P\} \text{ while } E \text{ do } S \{P \wedge \neg E\}} \text{ (while rule)}$$

$$\overline{\{Q[E/x]\} x := E \{Q\}} \text{ (assignment axiom)}$$

$$\frac{P \Rightarrow P' \quad \{P'\} S \{Q'\} \quad Q' \Rightarrow Q}{\{P\} S \{Q\}} \text{ (consequence rule)}$$